



Environment Group

Geoff Aitkenhead
Asset Management Director
Scottish Water
Castle House
6 Castle Drive
DUNFERMLINE
KY11 8GG

Drinking Water Quality Division

Victoria Quay
Edinburgh EH6 6QQ

Telephone: 0131-244 0779
Fax: 0131-244 7705
Mike.Foulis@scotland.gsi.gov.uk
<http://www.scotland.gov.uk>

Your ref:
Our ref: 2DWD 2/4

15 Oct 2004

Dear Sir

**THE WATER SUPPLY (WATER QUALITY) (SCOTLAND) REGULATIONS 2001 -
REGULATION 20
APPLICATION FOR AUTHORISED DEPARTURE
ARVVOURLIE WESTERN ISLES WATER SUPPLY ZONE**

I refer to the application dated 26 March 2004 submitted by Scottish Water for an authorised departure in terms of regulation 20 of the Water Supply (Water Quality)(Scotland) Regulations 2001 (“the 2001 Regulations”), in respect of the Ardvourlie Western Isles water supply zone (Drinking Water Quality Regulator(“DWQR”) Ref No 2014).

Having considered the application, and the supporting documentation submitted in accordance with the provisions of regulation 20(3), the Scottish Ministers are satisfied for the purposes of regulation 20(2) of the 2001 Regulations that:

- (a) the authorisation is necessary to maintain in the said Ardvourlie Western Isles supply zone, a supply of water for regulation 4(1) purposes;
- (b) a supply of water for those purposes cannot be maintained in that zone by any other reasonable means; and
- (c) the supply of water in accordance with this authorisation does not constitute a potential danger to human health.

On being so satisfied, the Scottish Ministers hereby authorise under regulation 20, and in accordance with regulation 21, a departure from the provisions of Part III of the 2001 Regulations, in so far as those provisions prescribe levels in relation to the Total Trihalomethanes (“THMs”), Iron and Colour parameters (item 25 in Part I of, and items 2 and 4 in Part II of Table B of schedule 1 to the 2001 Regulations respectively), as follows:

Scottish Water AD001 Ardvourlie

1



FIRST - In terms of regulation 21(3)(a)(i), the authorisation is granted upon the ground that the existing water treatment facilities are unable to meet the requirements of Part III of the 2001 Regulations in respect of the THMs, Iron and Colour parameters.

SECOND - In terms of regulation 21(3)(a)(ii), the authorisation is granted in respect of the water supply zone designated, under regulation 3 of the 2001 Regulations, as the Ardvourlie Western Isles supply zone (DWQR Ref No 2014).

THIRD - In terms of regulation 21(3) (a) (iii), the departure is granted to the extent that, with effect from the date of this authorisation and for the period specified at paragraph NINTH below, the maximum permissible concentration of the THMs, Iron and Colour parameters are: -

THMs	200µg/l as an upper limit for the mean total THM concentration, calculated using a running average of the last ten sample concentrations, taken in the relevant zone.
Iron	1,000 µgFe/l; and
Colour	40mg/l Pt/Co.

FOURTH - In terms of regulation 21(3) (a) (iv), in respect of each parameter referred to at paragraph THIRD above, the results of the analysis of the samples taken in the said water supply zone during the twelve months immediately preceding the first day on which the prescribed concentration or value could not be met are as specified at Table A in paragraph SEVENTEENTH hereof.

FIFTH - In terms of regulation 21(3) (a) (v), in respect of each parameter referred to at paragraph THIRD above, the results of the analysis of the samples taken in the said water supply zone between the first day on which the prescribed concentration or value could not be met and the date of the application, 26 March 2004, are as specified at Table A in paragraph SEVENTEENTH hereof.

SIXTH - In terms of regulation 21(3)(a)(vi), the average daily quantity of water supplied from the treatment works which supplies water to the said water supply zone is specified to be 0.005 MI/day.

SEVENTH - In terms of regulation 21(3)(a)(vii), the estimated population of the said zone is 44.

EIGHTH - In terms of regulation 21(3)(a)(viii), no relevant food production undertakings would be affected by this authorised departure.

NINTH - In terms of regulation 21(3) (a) (ix), the period of the authorised departure is from the date hereof until 23 November 2005, inclusive (“the departure period”).

TENTH - In terms of regulation 21(3)(b), the Scottish Ministers require Scottish Water to monitor the quality of the water supplied to the said zone in accordance with the provisions of regulation 16 of the 2001 Regulations for the departure period referred to at paragraph NINTH above as follows:

- (a) in respect of the THMs parameter, monitoring requires to be undertaken on a monthly basis;

- (b) in respect of the Iron parameter, monitoring requires to be undertaken at regular intervals to ensure a total of 4 samples per annum are taken; and
- (c) in respect of the Colour parameter, monitoring requires to be undertaken at regular intervals to ensure a total of 4 samples per annum are taken.

ELEVENTH - In terms of regulation 21(3)(c), the Scottish Ministers require Scottish Water to carry out the following steps to secure that the water supply to the said zone satisfies the requirements of Part III of the 2001 Regulations:

- (a) Complete option selection of necessary measures by 01/05/03;
- (b) Complete detailed design of necessary measures by 10/05/04;
- (c) Complete construction, installation and commissioning of necessary measures identified as required to provide a supply to the supply zone which meets the requirements of Part III of the 2001 Regulations by 23/11/05; and
- (d) Monitor the parameters referred to in Paragraph THIRD hereof in accordance with the requirements of Paragraph TENTH hereof, and where the concentration in any sample exceeds the concentration in respect of any one or more parameter referred to in Paragraph THIRD hereof, then that exceedance requires to be notified in writing to the Scottish Ministers in accordance with the provisions of regulation 17 of the 2001 Regulations within two working days of the result becoming available.

TWELFTH - In terms of regulation 21(3) (d) (i), and in respect of the matters referred to at paragraph ELEVENTH above, the Scottish Ministers require that all works considered necessary to secure a supply of water that fully satisfies the requirements of Part III of the 2001 Regulations to the said zone require to be completed by 23 November 2005, the end of the departure period.

THIRTEENTH - In terms of regulation 21(3)(d)(ii), the estimated costs of the works referred to at paragraphs ELEVENTH and TWELFTH above is £300,000.

FOURTEENTH - In terms of regulation 21(3)(d)(iii), the Scottish Ministers require Scottish Water to present to the three-monthly liaison meetings between the Scottish Executive's Drinking Water Quality Division and Scottish Water, an update report which provides a detailed review of the progress of the works specified at paragraphs ELEVENTH and TWELFTH above. Such reports must include at least the following information:-

- (i) Details of programmes of work, including commencement and completion dates for investigations, design, tendering, construction, commissioning and beneficial use;
- (ii) Current state of progress with programmes of work in relation to (i) above;
- (iii) A statement of the implications of any slippage in relation to the programmes referred to at (i) above;
- (iv) Details on the prospect of any recovery of any slippage referred to at (iii) above, including details on the degree to which slippage is expected to be recovered and how it will be recovered; and
- (v) Whether Scottish Water has any reason to believe that it will not be able to meet any of the dates referred to in this authorisation.

FIFTEENTH - In terms of regulation 21(3)(e) and regulation 23(b), the Scottish Ministers require Scottish Water to serve, by first class post, upon the population within the said water supply zone, written notification of the granting of this authorisation and the terms hereof, and shall specify where a copy of the authorisation may be obtained or inspected, free of charge.

Any exceedance of a parameter referred to at paragraph THIRD hereof shall be reported to the Scottish Executive's Drinking Water Quality Division in accordance with the provisions of regulation 17(5) of the 2001 Regulations, and Scottish Water is required to take such steps as may be required in accordance with section 17(6) of the 2001 Regulations.

SIXTEENTH - In terms of regulation 23(a), as soon as reasonably practicable after receipt of this authorisation, Scottish Water shall inform, in writing, the population referred to at paragraph SEVENTH above of this authorised departure and the conditions governing it by sending to that population a notice containing a statement of the matters specified in regulation 23(a)(i).

SEVENTEENTH - This paragraph comprises Table A for the purposes of paragraphs FOURTH and FIFTH hereof -



TABLE A -

Sample Date	Parameter		
	Colour (mg/l Pt/Co)	THM: Total (µg/l)	Iron (µgFe/l)
08 Mar 02		50.2	199
12 Apr 02	4	56.4	216
19 Apr 02		56.5	252
15 May 02		62.9	393
05 Jun 02		135.5	363
26 Jun 02		123.3	424
17 Jul 02	34	217.9	792
24 Jul 02		188.6	
14 Aug 02		225.4	1083
06 Sep 02	28		465
25 Sep 02		165.8	
25 Oct 02	33	62.8	563
15 Nov 02		124.5	356
20 Nov 02		122.5	420
29 Jan 03		88.6	232
27 Feb 03	8	42.6	318
08 Apr 03			296
29 Apr 03	12	77.6	371
16 Sep 03		256.3	504
14 Oct 03		118.8	306
11 Nov 03	12	105.9	391
25 Nov 03		23.6	390
05 Dec 03		110.8	389
27 Jan 04	15	106.8	266

[This and the preceding four pages are] signed on behalf of the Scottish Ministers by

Yours faithfully


Mike Foulis
 Head of Group
 Environment and Rural Affairs Department
 Scottish Executive

Date: 15/10/04

